

CARSON 1220-4B "T" TYPE LID:

SHALL INCLUDE STRAIGHT TYPE HEXAGON
LOCK-DOWN BOLT (1) AND TOUCH READ HOLE.
SHALL BE MARKED "WATER"

CHRISTY FL30P RECESSED LID:

SHALL INCLUDE STRAIGHT TYPE PENTAHEAD
LOCK-DOWN BOLTS (2) AND NEPTUNE OFFSET
AMR HOLE, SHALL BE MARKED "WATER"

METER YOKE:
FORD, JONES, MUELLER, McDONALD

1	1" BRONZE SADDLE - IPT	9	1' COPPER/BRASS METER YOKE - 12' HEIGHT w/2 FULL PORT ANGLE BALL VALVES INCLUDING PADLOCK WINGS ON INLET AND DUTLET		
2	1" CORPORATION STOP - FULL-PORT BALL, MIP x IPS COMP w/ STAINLESS STEEL INSERT (1" CTS INSERT-52)		NULL AUCACO THOCONTHA I UNCTOW MIMOS BIA THACK HIAN DOLLCE		
			1" WATER METER (BY DISTRICT)		
3	1 1/4" POLYETHYLENE TUBING - CTS ENDOPORE		PVC METER IDLER - 1 1/4" x 10 3/4", SCH 80 (BY CONTRACTOR)		
	PE-4710 SODR 9 (250 PSI) OR EQUAL	12	1" x 18" PVC NIPPLE - SCH 80 (BRASS IF BACKFLOW)		
4	1" BRASS STREET ELBOW - IPS COMP x MIP		1" PVC COUPLING - SCH80		
	w/ STAINLESS STEEL INSERT (1" CTS INSERT-52)			NDN-TRAFFIC AREAS	TRAFFIC AREAS
5	1" BRASS STREET ELBOW	14	METER BOX	CARSON 1220-12	CHRISTY FL30TB0X12
6	1' VALVE - FULL-PORT BALL, FIP x FIP or IPS COMP x FIP	15	LID	CARSON 1220-4B	CHRISTY FL30P
	w/ STAINLESS STEEL INSERT (1" CTS INSERT-52)	16	2" x 6" PRESSURE TREATED DOUGLAS FIR SUPPORTS (2)		
7	1" BRASS NIPPLE (AS NECESSARY TO ADJUST TO	17	3/4" CLEAN CRUSHED ROCK		
	PROPER GRADE)	18	#2 WASHED SAND COMPACTED TO 90%		
8	1" DUAL PURPOSE CONNECTION	19	#10 INSULATED COPPER LOCATOR WIRE		



CITRUS HEIGHTS WATER DISTRICT

1 1/4" POLYETHYLENE WATER SERVICE - 1" WATER METER NEW CONSTRUCTION

CITRUS HEIGHTS WA	DRAWN: 25 SEP 2014			
CITROS HEIGHTS WA	REVISED: 15 APR 2021			
APPROVED BY: Melina Rieri			scale: N.T.S.	
	DATE:	APRIL 15, 2021	DESIGN: P.A.D.	
CITRUS HEIGHTS WATER DISTRICT			CAD FILE: WS_125PE.DWG	
			PAGE: WS_125PE	